
Livingstone K2







\mathbf{n}	
 AT	










0

MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2745 / 3175
PAY LOAD MIN/MAX (KG)	755 / 325
WHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	186x132(116)
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	_
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	90 (20) / 75
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYURETHANE FOAM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	10+20
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	s /
CAB CARPET	\$
TABLE EXTENSIONS IN DINETTE	\$
FOLDING TABLE	_
ENTRANCE DOOR FLYSCREEN	\$
ELECTRIC STEP	O (PACK COMFORT)
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	S

Livingstone 2







	NT	
ы	ОТ	
П	п	










0

MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
VEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2775 / 3170
PAY LOAD MIN/MAX (KG)	725 / 330
VHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	186x149
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	
DENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
FANK CAPACITY: CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
PACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYURETHANE FOAM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	s/
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	_
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	O (PACK COMFORT)
SOLAR PANEL	
SOLAR PANEL AWNING	O (PACK PRESTIGE)
	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
INTERNAL LED LIGHTENING	S
EXTERIORS	

Livingstone 5







FIRT










0

TECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	\$
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	4+1
REAR BED (CM)	186x144 184x133
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	s
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	_
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	90 (20) / 75
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S S
INTERNAL INSULATION MATERIAL	POLYURETHANE FOAM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	10+20
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
	_ ,
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET	\$/ — \$
TABLE EXTENSIONS IN DINETTE FOLDING TABLE	<u>\$</u>
	<u> </u>
ENTRANCE DOOR FLYSCREEN	
ELECTRIC STEP	O (PACK COMFORT)
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
INTERNAL LED LIGHTENING	S

Livingstone 6







FIAT	










0

MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
NEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
NHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY O	O - PACK TRAVEL 9"
REAR VIEW CAMERA	
	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	207x68 175x75
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	\$
FIXED, PANORAMA ROOF IN THE CAB	_
DPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	ROMA COMBI 4 GAS
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	\$ \$
NTERNAL INSULATION MATERIAL	POLYURETHANE FOAM
FLOOR THICKNESS MIN / MAX (MM)	
	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	s / —
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
OLDING TABLE	-
NTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	O (PACK COMFORT)
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	S
EXTERIORS	

Livingstone DUO







	ш		
н	п		










0

MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2865 / 3165
PAY LOAD MIN/MAX (KG)	635 / 335
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	\$
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	\$
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	195x80 186x80
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	156x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	-
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	86 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYURETHANE FOAM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	s/
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	\$
FOLDING TABLE	-
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	O (PACK COMFORT)
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE) O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PRESTIGE) O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
INTERNAL LED LIGHTENING	S S
EXTERIORS	3

Livingstone sport K2







FIRT










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2745 / 3175
PAY LOAD MIN/MAX (KG)	755 / 325
WHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	186x132(116)
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	\$
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	<u> </u>
	0
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	90 (20) / 75
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
INTERNAL LED LIGHTENING	S (FACK TWO GOLOK ALLOT WILLE)
EXTERIORS	

Livingstone sport 2







П	NT	
ы	н	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2775 / 3170
PAY LOAD MIN/MAX (KG)	725 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	\$
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	\$
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	186x149
SUPPLEMENTARY BED IN DINETTE	\$
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	\$
SKYLIGHT	0
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	\$ \$
FIXED, PANORAMA ROOF IN THE CAB	0
	S
OPENABLE REAR WINDOWS	
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
nternal led lightening	S
EXTERIORS	
EXTERNAL LED LIGHT	S

Livingstone sport 5







- 6-1	AT	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
NEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	\$
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	4+1
REAR BED (CM)	186x144 184x133
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	\$
INSTALLATIONS	<u> </u>
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	90 (20) / 90
COMPRESSOR FRIDGE (L)	84
	WEBASTO AIR TOP EVO 40 DIESEL
STANDARD HEATING SYSTEM	
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S S S S S S S S S S S S S S S S S S S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
NTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
FECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	S S
	- U
EXTERIORS	

Livingstone sport 6







L	Н	
г	п	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 120 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	203x68 175x75
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	Ş
400X400 MM SKYLIGHT	\$
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	<u> </u>
	2
BURNERS TANK CAPACITY OF FAR WATER (WASTEWATER (L)	
TANK CAPACITY: CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	\$
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
INTERNAL LED LIGHTENING	\$
EXTERIORS	
EATERIURS	

Livingstone sport 6XL








MCCHANISCA MID CHASSIS First Ducatina ENGRIER POWER TIP 2.2 M J 120 H IP ENGRIER POWER TIP 2.2 M J 120 H IP MICHANIZA LILLARISH REMINISCE CONCITIONS (I/C) 3500 WIGHT FULL-BOSH IN SERVING CONCITIONS (I/C) 7795 / 370 WIGHT FULL-BOSH IN SERVING CONCITIONS (I/C) 4035 MARISHAM FORMARIA 4035 MARISHAM FORMARIA ARRIAD 5 BOWES AND PASSENDER RAMPA 8 GOING CONTROLLING SERVICE (I/C) 8 BOWES AND PASSENDER RAMPALLING SERVICE 8 CORRES CONTROLLING SERVICE (I/C) 8 BOWES AND PASSENDER RAMPALLING SERVICE 8 CORRES CONTROLLING SERVICE (I/C) 8 BOWES AND PASSENDER RAMPALLING SERVICE 8 CORRES CONTROLLING SERVICE (I/C) 8 BOWES AND PASSENDER RAMPALLING SERVICE (I/C) 8 BOWES AND PASSENDER RAMPALLING SERVICE (I/C) 8 BOWES AND PLACES 9 BOWES AND PLACES 3 BOWES AND PLACES 3 BOWES AND PLACES 3 BOWES AND PLACES 8 BOWES AND P	FIAT	<u>4</u> 4 <u>2+1</u> 2+1 4
ROMER POWER PP 3500	MECHANICS AND CHASSIS	
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (MIX) 3500 PAY LOAD MIXIMANY CREED 7705 / 330 PAY LOAD MIXIMANY CREED 705 / 330 PAY LOAD MIXIMANY CREED 705 / 330 MAXIMANY TOWARDE WEIGHT (MIX) 2500 MAXIMANY TOWARDE WEIGHT (MIX) 8 MANIMAL AND CONDITIONING 8 MANIMAL AND CONDITIONING 8 GRUIDS CONTROL WITH SPEED IMBRITER 8 AND FEED TOWARD 8 / 5 / 5 / 8 DIMENS AND MASSINGER SWINGLING SEATS 8 CARE SEAT COVERS 8 MIXTED CARE 8 / 5 / 5 / 8 MIXTED CARE 8 / 5 / 5 / 8 MIXTED CARE 8 / 5 / 5 / 8 MIXTED CARE 9 - PACK TRAVEL 0" SEAR COVERY 8 / 5 / 5 / 8 MIXTED CARE 9 - PACK TRAVEL 0" SEAR COVERY 8 / 5 / 7 / 8 MARCH SEAR WITH ANDROID AUTO / APPLE CARPLAY 9 - PACK TRAVEL 0" SEAR TOWARD 8 / 5 / 7 / 8 DIMESSIONS AND PLACES 9 - PACK TRAVEL 0" SEATH SEAR WEIGHT ON ROAD ON MIXTED IN DINITITE (CM) 18 / 5 / 9 / 9 / 9 / 9 / 9 / 9 / 9 / 9 / 9	MECHANICAL UNIT	Fiat Ducato
WISSERT UNB ASEN IN RUNNING COMDITIONS (KG) 705 / 330 WISSERIAGE (MA) 4035 WISSERIAGE (MA) 2900 WISSERIAGE (MA) 15° MINITERIAL RESIDENCISIONS 15° SILVER AND MASSINGER AIRREG 8 CHURS AND PASSINGER AIRREG 8 CHURS AND PASSINGER AIRREG 8 CABIS SCILVER AND PASSINGER AIRREG 8 CABIS SCILVER AND PASSINGER AIRREG 8 CAB SEA COVERS 8 CAB SEA COVERS 8 CAB SEA COVERS 8 CAB SEA COVERS 8 PLEATED CAD CUSTAIN 8 MINITED CAB 9 MINITED CAB 9 MERINE COVER 9 MERINE COVER AND MASSINGER AIRREGA 9 MERINE COVER CARRES 9 MINITER CARRES 9 MORE CARRES	ENGINE, POWER HP	2,2 MJ 120 HP
METABOR MANIMAX (KR)	MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WINEED ARE (MIN) 4035 WINEED BINERSIONS 15" WINEED BINERSIONS 15" SIMEN AND PASSENGER AIRBAG \$ SIMEN AND PASSENGER WINTELLING SEATS \$ CAR SEAT COVERS \$ CAR SEAT COVERS \$ PLATED CARD CURTAIN \$ DAB LUSS RILLETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY \$ PLATED CARD CURTAIN \$ REAR BED (COL) \$ SETTIS \$ REAR BED (COL) \$ SETTIS \$ REAR BED (COL) \$ SUPLE MENTAL TORKS ON DINNETTE \$ SED WITH STAWS \$ SUPLE MENTAL TORKS ON DINNETTE (COL) \$ SED WITH STAWS \$ SUPL LINEAR TORKS ON DINNETTE (COL) \$ SED WITH STAWS \$ SUPL LINEAR TORKS ON DINNETTE (COL) \$ SED WITH STAWS ON DINETTE (COL) \$ <td>WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)</td> <td>2795 / 3170</td>	WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
MANIMAT TOWARE WEIGHT (NO) 2500 WEIES DIMENSIONS 15" MANUA, AR CONDITIONING S CRUSE CONTROL WITH SPEED LAWTER S CRUSE CONTROL WITH SPEED LAWTER S SEASY 158C/ TRACTON* \$18 C BIRVER AND PASSENGERS WIVE LLING SEATS S CARS SEAT COVERS S PARATTO CAB WHITE PLEATE CAB CURTAN S DAB USE BILLETCOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL 9" FIEAR YEAV CLAMERA O - PACK TRAVEL 9" FIEAR YEAV CLAMERA O - PACK TRAVEL 9" BERT 16 190 (160,5)450 (161 Position) BERT 18 190 (160,5)450 (161 Position) SUPPLEMENTANY BED IN DIMETTE S SERVILLETH S SEVILLETH S SOURS AND THE LEAD O	PAY LOAD MIN/MAX (KG)	705 / 330
WHEELS DIMENSIONS 15" MANNAL AIR CONTRONTONING \$ CRUSE CONTROL WITH SPEED LIMITER \$ ASS, FSC, TRACTION + \$,7,8,7,8 DEBURER AND PASSENGER MIRRED \$ ASS, FSC, TRACTION + \$,8 DEBURER AND PASSENGER WINELING SEATS \$ CAR SEAT COVERS \$ PIEATED CAB WHITE PLEATED CAB CURTAIN \$ DAB USB SILLE COOTH RADIO 9 WITH ANDROID AUTO / APPLE CARPLAY \$ CARS PERF ANDROIS SEATS * DIMERSIONS AND PLACES * BEETING \$ REAR BED (CM) 190(160,0) ASIGN (BIF Position) SUPPLIEMENTARY BED IN INITITE (CM) \$ BEDS WITH STAVES \$ SEX YLIGHT \$ PANDAMAN SAYLIGHT \$ CARRY CAR	WHEELBASE (MM)	4035
MANNAL AIR CONDITIONING \$ CRUISE CONTROL WITH SPEED LAIMTER \$ ASS (SEC) TRACTOON+ \$ (S. A.	MAXIMUM TOWABLE WEIGHT (KG)	2500
RENUTE AND PASSENCER ARREAD S S S S S S S S S	WHEELS DIMENSIONS	15"
CRUISE CONTROL WITH SPEED LIMITER \$ (\$ (\$) \$	MANUAL AIR CONDITIONING	S
ABS FEED TRANCHION + \$ 5 CAB SEAT COVERS \$ PICATE OR ASSENCE SWIVELING SEATS \$ CAB SEAT COVERS WHITE PICATED CAB CURTAIN \$ DAB LUSS BILLUTOOTH RADIO S'WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL S' DEERN IS 2-1 BEERT IS 2-1 BEERT IS 2-1 SUPPLEMENTARY BED IN DINETTE \$ SUPPLEMENTARY BED IN DINETTE \$ SUPPLEMENTARY BED IN DINETTE (SM) \$	DRIVER AND PASSENGER AIRBAG	S
DBIVER AND PASSENCER SWYLLING SEATS \$ CAB SEAT COVERS \$ PAINTED CAB WHITE PLEATED CAB CURTAIN \$ DAB USB BLULFOOTH RADIO 9' WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL 9' BERN VEW CAMERS O - PACK TRAVEL 9' BERN VEW CAMERS 2-1 BERR VEW CAMERS 2-1 BERR VEW CAMERS 1905(160)x180 Diller Position 190	CRUISE CONTROL WITH SPEED LIMITER	S
CAS SEAT COVERS S PIEATED CAB WHITE PLEATED CAB CURTAIN S DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL 9" DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL 9" DIMENSIONS AND PLACES 2-1 BERTHS 2-1 BERTHS S SUPPLEMENTARY BED IN DINETTE S SUPPLEMENTARY BED IN DINETTE (CM) 190(160)(x400) (lift Position) SUPPLEMENTARY BED IN DINETTE (CM) \$ SUBS WITH STAVES \$ SEXYLIGHT \$ PANICIPATIVE SELECTION \$ SEX YLLIGHT \$ PANICIPATIVE SELECTION SELECTION \$ SEX YLLIGHT \$ PANICIPATIVE SELECTION SELE	ABS / ESC / TRACTION +	\$/\$/\$
PANTED CAB	DRIVER AND PASSENGER SWIVELLING SEATS	S
PLEATED CAB CURTAIN \$ DAB USING BULLETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY \$ - PACK TRAVEL 9" BERNIS \$ - PACK TRAVEL 9" BERTINS 2-1 BERTINS \$ - PACK TRAVEL 9" SUPPLEMENTARY BED IN DINETTE \$ S SUPPLEMENTARY BED IN DINETTE (CM) \$ S DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) \$ S DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) \$ S DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) \$ S SUPPLEMENTARY	CAB SEAT COVERS	S
DAB DURS BULLETOOTH RADIO OF WITH ANDROID AUTO / APPLE CARPLAY O - PACK TRAVEL OF DIMENSIONS AND PLACES BEERTINS 2-1 BERA BEED (CM) 190(160)AR60 [lift Position] SUPPLEMENTARY BED IN DIRETTE S SUPPLEMENTARY BED IN DIRETTE (CM) 166,993(50) BEDS WITH STAVES S SEXYLIGHT S EXYLIGHT FOOKSOO MM WITH BLIND AND MOSQUITO NET S SEXPLEAD AND AND AND AND SQUITO NET S PANDRAMIC SKYLIGHT TOOKSOO MM WITH BLIND AND MOSQUITO NET S EXPLICATIONS BURNERS 2 COUNTING AND	PAINTED CAB	WHITE
REAR VIEW CAMERS O - PACK TRAVEL 9" DIMESIONS AND PLACES BERTHS 9-1 REAR BED (CM) 190(160)/RISO [lift Position] 190(160)/RIS	PLEATED CAB CURTAIN	S
REAR VIEW CAMERS O - PACK TRAVEL 9" DIMESIONS AND PLACES BERTHS 9-1 REAR BED (CM) 190(160)/RISO [lift Position] 190(160)/RIS	DAR USB BLUFTOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	
DIMENSIONS AND PLACES BERTINS 2-1 REAR BED (CM) 190(160)/H50 [lift Position] 146x93(50) 186bb WITH STAVES 3 2		
BERTHS 21 REAR BED (CM) 190(160)x180 (plk Position) SUPPLEMENTARY BED IN DINETTE \$ BUMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) 146x93(50) BED SUTH STAYUS \$ SKYLIGHT SKYLIGHT SPANDRAMIC SYLICHIT 700X500 MM WITH BLIND AND MOSQUITO NET \$ 400X400 MM SKYLIGHT \$ 5 FXEED, PANDRAMAR ROOF IN THE CAB 0 OPENABLE REAR WINDOWS \$ DOUBLE-GLAZZED WINDOWS WITH BLIND / MOSQUITO NET \$ INSTALLATIONS BURNERS 2 1 CANCA CAPACITY : CLEAR WATER / WASTEWATER (L) \$5 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPICE FOR 2 GAS BOTTLES (OTI, MAY 7 KG) \$ SPICE FOR 2 GAS BOTTLES (OTI, MAY 7 KG) \$ SPICE FOR 2 GAS BOTTLES (OTI, MAY 7 KG) \$ LETTING ROJE MAY (LING) \$ LETTING ROJE MAY (LING) \$ LETT		O - PACK TRAVEL 9
REAR BED (CM) 190 (160) XISD (16M Position) SUPPLEMENTARY BED IN DINETTE \$ DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) 146 x93 (60) BEDSS WITH STAVES \$ SKYLIGHT PANDRAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET \$ CADWAGO MM SKYLIGHT \$ PANDRAMA ROOF IN THE CAB 0 COPENABLE REAR WINDOWS \$ COPENABLE REAR WINDOWS \$ COMPRESSOR FRIDGE (L) \$ STANDARD HEARTH (WASTEWATER (L) \$ \$ COMPRESSOR FRIDGE (L) \$ \$ SPACE OR & SOTTLES (TOT. MAX 7 KG) \$ \$ SPACE OR & SOTTLES (TOT. MAX 7 KG) \$ \$ SPACE OR & SOTTLES (TOT. MAX 7 KG) \$ \$ SPACE AGAS BOTTLES (TOT. MAX 7 KG) \$ \$ SPACE AGAS BOTTLES (TOT. MAX 7 KG) \$ \$ SPACE AGAS BOTTLES (TOT. MAX 7 KG) \$ \$ SPACE AGAS (MAX CAM) \$ \$		
SQFELEMENTARY BED IN DINETTE S S	BERTHS	
DMENSIONS SUPPLEMENTARY BED IN DINETTE (CM) \$ BEDS WITH STAVES \$ SKYLIGHT \$ PANDRAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET \$ 400X400 MM SKYLIGHT \$ FENDE, PANDRAMA ROOF IN THE CAB \$ OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ BURNERS \$ BURNERS \$ BURNERS \$ COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT, MAX 7 KG) \$ SPACE FOR 2 GAS BOTTLES (TOT, MAX 7 KG) \$ SPACE FOR 2 GAS BOTTLES (TOT, MAX 7 KG) \$ SINTERNAL INSULATION MATERNAL POLYESTER FIBER AND ALUMINIUM FILM FLOOR WITH INTEGRATED DOUBLE BED \$ STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN \$ CAB CARPET \$ SALE EXTENSIONS IN DINETTE \$ FOLDING TABLE \$ SOLAR PANEL \$ AUNING \$ SOLAR PANEL	REAR BED (CM)	190(160)x180 [int Position]
BEDS WITH STAVES \$ SKYLIGHT PANDRAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET \$ 400X400 MM SKYLIGHT \$ FIXED, PANDRAMAR ROOF IN THE CAB 0 OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ INSTALLATIONS BURNERS 2 TANK CAPACITY: CLEAR WATER / WASTEWATER (L) 85 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) 8 SATINGON WINDOW (DOUBLE OPAQUE GLASS) \$ NITERNAL MISLATING SYSTEM POLYESTER FIBER AND ALUMINIUM FILM FLOOR THICKNESS MIN / MAX (MM) POLYESTER FIBER AND ALUMINIUM FILM FLOOR THICKNESS MIN / MAX (MM) 10+26 EQUIPMENTS STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN \$ CAB CARPET \$ S. \$ LETHING TOWN THINTEGRATED DOUBLE BED \$ CORA CARPET \$	SUPPLEMENTARY BED IN DINETTE	S
SKYLIGHT PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET \$ 400X400 MM SKYLIGHT \$ 5 FEKED, PANORAMA ROOF IN THE CAB \$ 0 O OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ S TISTALLATIONS BURNERS 2 TANN CAPACITY: CLEAR WATER / WASTEWATER (L) \$ 5 (20) / 90 COMPRESSOR FRIDGE (L) \$ COMPRESSOR FRIDGE	DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET \$ 400X400 MM SKYLIGHT \$ FIXED, PANORAMA ROOF IN THE CAB O OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ INSTALLATIONS BURNERS 2 TANK CAPACITY: CLEAR WATER / WASTEWATER (L) 85 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) \$ SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) \$ SATHROOM WINDOW (DOUBLE OPAQUE GLASS) \$ INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALUMINIUM FILM HOOR THICKNESS MIN / MAX (MM) 10+26 EQUIPMENTS LIEFTING ROOF WITH INTEGRATED DOUBLE BED O STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN \$ CAB CARPET \$ CAB CARPET \$ FOLDING TABLE \$ ELECTRIC STEP \$ SOLAR PANEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE)	BEDS WITH STAVES	S
400X400 MM SKYLIGHT \$ FIXED, PANDRAMA ROOF IN THE CAB \$ OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ INSTALLATIONS BURNERS 2 TANK CAPACITY: CLEAR WASTEWASTEWATER (L) \$5 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBBASTO AIR TOP EVO 40 DIESEL SPACE FOR Z AS BOTTLES (TOT. MAX 7 KG) \$ BATHROOM WINDOW (DOUBLE OPAQUE GLASS) \$ INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALLUMINUM FILM LOOT THICKINSS MIN / MAX (MM) 10-26 EQUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED \$ STOWAGE ABOVE THE CARIN / OPEN SPACE CABIN \$ STOWAGE ABOVE THE CARIN / OPEN SPACE CABIN \$ CAB CARPET \$ SCAB CARPET \$ TABLE EXTENSIONS IN DINETTE \$ <	SKYLIGHT	
FIXED, PANORAMA ROOF IN THE CAB OPENABLE REAR WINDOWS ODUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET BURNERS BURNERS 2 TANK CAPACITY: CLEAR WATER / WASTEWATER (L) S5 (20) / 90 COMPRESSOR FRIDGE (L) TO STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTHLES (TOT, MAX 7 KG) SBATHROOM WINDOW (DOUBLE OPAQUE GLASS) BATHROOM WINDOW (DOUBLE OPAQUE GLASS) BATHROOM WINDOW (DOUBLE OPAQUE GLASS) BOUNTERNAL INSULATION MATERIAL FLOOR THICKNESS MIN / MAX (MM) DOUBLE OPAQUE GLASS) BURNERS EULITING ROOF WITH INTEGRATED DOUBLE BED OSTOWAGE ABOOY THE CABIN / OPEN SPACE CABIN CAB CARPET SOUNAGE ABOOY THE CABIN / OPEN SPACE CABIN SCHOOL STOWN SEED SEED SELECTING STEP SOLAR PARNEL BURNERS ENTRANCE DOOR FLYSCREEN ELECTRIS (STEP SOLAR PARNEL BURNERS BURN	PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
OPENABLE REAR WINDOWS \$ DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET \$ INSTALLATIONS BURNERS 2 TANN CAPACITY: CLEAR WATER / WASTEWATER (L) 85 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT, MAX 7 KG) \$ BATHROOM WINDOW (DOUBLE OPAQUE GLASS) \$ INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALUMINIUM FILM FLOOR HICKNESS MIN / MAX (MM) 10+26 EQUIPMENTS LETING ROOP WITH INTEGRATED DOUBLE BED O STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN \$ CAB CARPET \$ FOLDING TABLE \$ ENTERNALE EXTENSIONS IN DINETTE \$ FOLDING TABLE \$ ENTERNALE EXTENSIONS IN DINETTE \$ FOLDING TABLE \$ ELECTRIC STEP \$ SOLAR PANEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK TWO COLOR ALLOY WHEEL) <	400X400 MM SKYLIGHT	\$
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET S S S	FIXED, PANORAMA ROOF IN THE CAB	0
BURNERS 2 TANK CAPACITY: CLEAR WATER / WASTEWATER (L) 85 (20) 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) S BATHROOM WINDOW (DOUBLE OPAQUE GLASS) S INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALUMINIUM FILM 10+26 ECUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED O STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN S CAB CARPET S CAB CARPET S CAB CARPET S CAB CARPET S SCLAR PANALL SULATION STANDARD S SOLAR PANALL SOLAR	OPENABLE REAR WINDOWS	\$
BURNERS 2 TANK CAPACITY : CLEAR WATER / WASTEWATER (L) 85 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) S BATHROOM WINDOW (DOUBLE OPAQUE GLASS) S INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALUMINIUM FILM FLOOR THICKNESS MIN / MAX (MM) 10+26 ECUIPMENTS S LIFTING ROOF WITH INTEGRATED DOUBLE BED O STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN S CAB CARPET S TABLE EXTENSIONS IN DINETTE S FOLDING TABLE S ENTRANCE DOOR FLYSCREEN S SOLAR PANNEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK PRINTED BUMPER) TECHNO TIM O (PACK TWO COLOR ALLOY WHEEL) LECHING STEERING WHEEL AND KNOB O (PACK TWO COLOR ALLOY WHEEL)	DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
TANK CAPACITY: CLEAR WATER / WASTEWATER (L) 85 (20) / 90 COMPRESSOR FRIDGE (L) 70 STANDARD HEATING SYSTEM WEBASTO AIR TOP EVO 40 DIESEL SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) \$ BATHROOM WINDOW (DOUBLE OPAQUE GLASS) \$ INTERNAL INSULATION MATERIAL POLYESTER FIBER AND ALUMINIUM FILM FLOOR THICKNESS WIN / MAX (MM) 10+26 ECUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED 0 STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN \$ CAB CARPET \$ TABLE EXTENSIONS IN DINETTE \$ FOLDING TABLE \$ ENTRANCE DOOR FLYSCREEN \$ ELECTRIC STEP \$ SOLAR PANEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK PRESTIGE) TECHNO TRIM O (PACK PRINTED BUMPER) TECHNO TRIM O (PACK TWO COLOR ALLOY WHEEL) LEATHER STEERING WHEEL AND KNOB O (PACK TWO COLOR ALLOY WHEEL)	INSTALLATIONS	
COMPRESSOR FRIDGE (L) STANDARD HEATING SYSTEM SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) BATHROOM WINDOW (DOUBLE OPAQUE GLASS) BOULETIER AND ALUMINIUM FILM BOULETIER AND ALUMINIUM FILM BATHROOM WITH INTEGRATE AND ALUMINIUM FILM BATHROOM WITH INTEGRATED DOUBLE BED BATHROOM WITH INTEGRATED WITH INTEGRATED BATHROOM BATHROO	BURNERS	2
STANDARD HEATING SYSTEM \$PACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) \$BATHROOM WINDOW (DOUBLE OPAQUE GLASS) \$NETHER OR BOTTLES (TID. MAX FEBBLE OF ADD ALLWINNIUM FILM POLYESTER FIBER AND ALLWINNIUM FILM 10-12-6 **EQUIPMENTS** LIFTING ROOF WITH INTEGRATED DOUBLE BED \$SOURCE ABOVE THE CABIN / OPEN SPACE CABIN \$CAG CARPET \$ABLE EXTENSIONS IN DINETTE \$SOLOR FLYSCREEN \$SOLOR FLYSCREEN \$SOLOR PANEL \$OLOR PANEL	TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG) BATHROOM WINDOW (DOUBLE OPAQUE GLASS) INTERNAL INSULATION MATERIAL FLOOR THICKNESS MIN / MAX (MM) FLOOR THICKNESS M	COMPRESSOR FRIDGE (L)	70
BATHROOM WINDOW (DOUBLE OPAQUE GLASS) INTERNAL INSULATION MATERIAL FLOOR THICKNESS MIN / MAX (MM) EQUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET TABLE EXTENSIONS IN DINETTE FOLDING TABLE EXTENSIONS IN DINETTE SCALE ENTRANCE DOOR FLYSCREEN ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND ELECHNO TRIM ECHNO TRIM ECHNO TRIM ELECTRING WHEEL AND KNOB BLACK SKID PLATE, BLACK HEADLIGHT SURROUND ELECTRING WHEEL AND KNOB BLACK SKID PLATE, SEERING WHEEL AND KNOB BLACK SKID PLATE, BLACK HEADLIGHT SURROUND SCALE BLACK SKID PLATE, BLACK HEA	STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
INTERNAL INSULATION MATERIAL FLOOR THICKNESS MIN / MAX (MM) EQUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET SALE EXTENSIONS IN DINETTE FOLDING TABLE EXTENSIONS IN DINETTE SCHOOR FLYSCREEN SCHARANCE DOOR FLYSCREEN SCHECTRIC STEP SOLAR PANEL AWNING SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING SCHOOR AND SCHOOL AND SCHOOL ALLOY WHEEL) INTERNAL LED LIGHTENING SCHOOL AND SCHO	SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
FLOOR THICKNESS MIN / MAX (MM) 10+26 FQUIPMENTS LIFTING ROOF WITH INTEGRATED DOUBLE BED O STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN S CAB CARPET S TABLE EXTENSIONS IN DINETTE S FOLDING TABLE S ENTRANCE DOOR FLYSCREEN S ELECTRIC STEP S SOLAR PANEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK TWO COLOR ALLOY WHEEL) LEATHER STEERING WHEEL AND KNOB O (PACK TWO COLOR ALLOY WHEEL) LEATHER STEERING WHEEL AND KNOB S INTERNAL LED LIGHTENING S S	BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
LIFTING ROOF WITH INTEGRATED DOUBLE BED SIOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET TABLE EXTENSIONS IN DINETTE FOLDING TABLE ENTRANCE DOOR FLYSCREEN SLECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB NO (PACK TWO COLOR ALLOY WHEEL) LEATHER STEERING WHEEL AND KNOB SOLAR PANEL O (PACK TWO COLOR ALLOY WHEEL) SOLAR TWO COLOR ALLOY WHEEL)	INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
LIFTING ROOF WITH INTEGRATED DOUBLE BED STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET TABLE EXTENSIONS IN DINETTE S FOLDING TABLE ENTRANCE DOOR FLYSCREEN S ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK TWO COLOR ALLOY WHEEL) S S SOLAR TRING COOR SEASON OF CASH OF COLOR ALLOY WHEEL) S O (PACK TWO COLOR ALLOY WHEEL) S S SOLAR TRING COOR SEASON OF CASH OF COLOR ALLOY WHEEL) S SITTERNAL LED LIGHTENING S S SOLAR PANEL O (PACK TWO COLOR ALLOY WHEEL) S S SOLAR PANEL S S SOLAR PANEL O (PACK TWO COLOR ALLOY WHEEL) S S S SOLAR PANEL S S SOLAR PANEL O (PACK TWO COLOR ALLOY WHEEL) S S S SOLAR PANEL S S S SOLAR PANEL O (PACK TWO COLOR ALLOY WHEEL) S S S SOLAR PANEL S S S S S S S S S S S S S S S S S S	FLOOR THICKNESS MIN / MAX (MM)	10+26
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN CAB CARPET TABLE EXTENSIONS IN DINETTE S FOLDING TABLE FOLDING TABLE ENTRANCE DOOR FLYSCREEN S ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB NO (PACK TWO COLOR ALLOY WHEEL) INTERNAL LED LIGHTENING S S S S S S S S S S S S S S S S S S		
CAB CARPET TABLE EXTENSIONS IN DINETTE \$ FOLDING TABLE ENTRANCE DOOR FLYSCREEN ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
TABLE EXTENSIONS IN DINETTE FOLDING TABLE ENTRANCE DOOR FLYSCREEN ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING S S S S S S S S S S S S S		
FOLDING TABLE ENTRANCE DOOR FLYSCREEN ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING S S S S S S S S S S S S S		
ENTRANCE DOOR FLYSCREEN S ELECTRIC STEP S SOLAR PANEL O (PACK PRESTIGE) AWNING O (PACK PRESTIGE) BLACK SKID PLATE, BLACK HEADLIGHT SURROUND O (PACK PAINTED BUMPER) TECHNO TRIM O (PACK TWO COLOR ALLOY WHEEL) LEATHER STEERING WHEEL AND KNOB O (PACK TWO COLOR ALLOY WHEEL) INTERNAL LED LIGHTENING S		
ELECTRIC STEP SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING S O (PACK PRESTIGE) O (PACK PAINTED BUMPER) O (PACK TWO COLOR ALLOY WHEEL) S O (PACK TWO COLOR ALLOY WHEEL) S		
SOLAR PANEL AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK PRESTIGE) O (PACK PRESTIGE) O (PACK PRINTED BUMPER) O (PACK TWO COLOR ALLOY WHEEL) S		
AWNING BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK PRESTIGE) O (PACK TWO COLOR ALLOY WHEEL) O (PACK TWO COLOR ALLOY WHEEL) S		
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK TWO COLOR ALLOY WHEEL) O (PACK TWO COLOR ALLOY WHEEL) S		
TECHNO TRIM LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK TWO COLOR ALLOY WHEEL) O (PACK TWO COLOR ALLOY WHEEL) S	AWNING	
LEATHER STEERING WHEEL AND KNOB INTERNAL LED LIGHTENING O (PACK TWO COLOR ALLOY WHEEL) S		
INTERNAL LED LIGHTENING S		•
EXTERIORS EXTERIORS		\$
	EXTERIORS	

Livingstone Sport DUO







LI	н	
г	п	










MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
NEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905 / 3165
PAY LOAD MIN/MAX (KG)	595 / 335
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	\$
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	2+1
REAR BED (CM)	195x80 - 186x80
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	156x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	\$
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	WEBASTO AIR TOP EVO 40 DIESEL
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	POLYESTER FIBER AND ALUMINIOM FILM
EQUIPMENTS	10+20
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	\$ \$
TABLE EXTENSIONS IN DINETTE	S S
FOLDING TABLE	\$ \$
ENTRANCE DOOR FLYSCREEN	\$ \$
ELECTRIC STEP	s S
SOLAR PANEL	O (PACK PRESTIGE)
SOLAR PANEL AWNING	` '
	O (PACK PAINTED PLIMPED)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
FECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	\$
EXTERIORS	
XTERNAL LED LIGHT	S

Livingstone sport DUO XL ROLLER TEAM







		•
-	AT	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 HP
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
NEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905 / 3165
PAY LOAD MIN/MAX (KG)	595 / 335
VHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
VHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
RUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
RIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
AINTED CAB	WHITE
LEATED CAB CURTAIN	S
AB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
EERTHS	2+1
REAR BED (CM)	185(175)x160 [lift Position]
	185(175)x190 [low Position]
SUPPLEMENTARY BED IN DINETTE	\$
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	156x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
00X400 MM SKYLIGHT	S
IXED, PANORAMA ROOF IN THE CAB	0
DPENABLE REAR WINDOWS	S
OOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
ANK CAPACITY: CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
TANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
PACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	\$
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
ELOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	\$ \$
OLDING TABLE	s S
OLDING TABLE NTRANCE DOOR FLYSCREEN	\$ \$
LECTRIC STEP	S
COLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND TECHNO TRIM	O (PACK TAKE COLOR ALLOY MULTEL)
	O (PACK TWO COLOR ALLOY WHEEL)
LEATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	\$

Livingstone 7 ACTIVE







 AT	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
NGINE, POWER HP	2,2 MJ 120 HP
1AXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
VEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3085
AY LOAD MIN/MAX (KG)	705 / 415
VHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
VHEELS DIMENSIONS	15"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	O - PACK TRAVEL 9"
REAR VIEW CAMERA	O - PACK TRAVEL 9"
DIMENSIONS AND PLACES	
BERTHS	5+1
REAR BED (CM)	185x79,5 183x68
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	190x88
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	_
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
	2
BURNERS	
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	WEBASTO AIR TOP EVO 40 DIESEL
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	\$
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	\$
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	S (200x130)
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	_
OLDING TABLE	S
NTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	O (PACK PAINTED BUMPER)
TECHNO TRIM	O (PACK TWO COLOR ALLOY WHEEL)
EATHER STEERING WHEEL AND KNOB	O (PACK TWO COLOR ALLOY WHEEL)
NTERNAL LED LIGHTENING	S
EXTERIORS	-
EXTERNAL LED LIGHT	S

Livingstone Advance K2







FIRT










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
VEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2745 / 3175
PAY LOAD MIN/MAX (KG)	755 / 325
NHEELBASE (MM)	3450
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	\$
REAR VIEW CAMERA	\$
DIMENSIONS AND PLACES	
BERTHS	2
REAR BED (CM)	186x132(116)
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	\$
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	90 (20) / 75
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
LOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	\$
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	\$
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	
	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	S
TECHNO TRIM	S
LEATHER STEERING WHEEL AND KNOB	S
INTERNAL LED LIGHTENING	S

Livingstone Advance 2







	DT	
ы	IAT	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2775 / 3170
PAY LOAD MIN/MAX (KG)	725 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	S
REAR VIEW CAMERA	\$ \$
	<u> </u>
DIMENSIONS AND PLACES	
BERTHS	2
REAR BED (CM)	186x149
SUPPLEMENTARY BED IN DINETTE	\$
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	\$
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY: CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	S (FACK PRESTIGE)
TECHNO TRIM	\$ \$
LEATHER STEERING WHEEL AND KNOB	\$ \$
INTERNAL LED LIGHTENING	\$ \$
	J
EXTERIORS	

Livingstone Advance 5







FIRT	








Щ		_
Ì	ľ(())∦	4
- 1		

MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	S
REAR VIEW CAMERA	\$ \$
	5
DIMENSIONS AND PLACES	
BERTHS	4
REAR BED (CM)	186x144 184x133
SUPPLEMENTARY BED IN DINETTE	\$
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	160x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY: CLEAR WATER / WASTEWATER (L)	90 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	S S
TECHNO TRIM	\$ \$
LEATHER STEERING WHEEL AND KNOB	\$ \$
INTERNAL LED LIGHTENING	5
EXTERIORS	

Livingstone Advance 6







	IIV.	r
-	IA	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	\$
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	S
REAR VIEW CAMERA	<u> </u>
DIMENSIONS AND PLACES	
BERTHS	2
REAR BED (CM)	203x68 175x75
SUPPLEMENTARY BED IN DINETTE	\$
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	\$
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	\$
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	S
TECHNO TRIM	S
LEATHER STEERING WHEEL AND KNOB	S
INTERNAL LED LIGHTENING	S
EXTERIORS	
EXTERNAL LED LIGHT	S

Livingstone Advance 6 XL ROLLER TEAM








FIRT	<u>4</u> 2+1 4
	2TI 4
MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2795 / 3170
PAY LOAD MIN/MAX (KG)	705 / 330
WHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	\$
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	\$
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	S
REAR VIEW CAMERA	
DIMENSIONS AND PLACES	
BERTHS	2
REAR BED (CM)	190(160)x160 [lift Position] 190(160)x190 [low Position]
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	146x93(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	S
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	S
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY: CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	70
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
INTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	\$
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	\$ \$
ELECTRIC STEP	\$ \$
SOLAR PANEL	
	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	\$
TECHNO TRIM	S
LEATHER STEERING WHEEL AND KNOB	\$
INTERNAL LED LIGHTENING	\$
EXTERIORS	

Livingstone Advance DUO ROLLER TEAM







П	ш	7 1	
п	П	Ш	










MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
NGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
VEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905 / 3165
PAY LOAD MIN/MAX (KG)	595 / 335
VHEELBASE (MM)	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
VHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
PRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	\$
ABS / ESC / TRACTION +	\$/\$/\$
RIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
AINTED CAB	WHITE
LEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	S
REAR VIEW CAMERA	S
DIMENSIONS AND PLACES	·
ERTHS	2
REAR BED (CM)	195x80 186x80
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	156x95(50)
BEDS WITH STAVES	\$
SKYLIGHT	-
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
100X400 MM SKYLIGHT	S
IXED, PANORAMA ROOF IN THE CAB	0
DENABLE REAR WINDOWS	S
OUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S S
PATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	10720
IFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	S
TABLE EXTENSIONS IN DINETTE	S
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	S S
ILECTRIC STEP	S
OLAR PANEL	O (PACK PRESTIGE)
WNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	
	\$
ECHNO TRIM	S
LEATHER STEERING WHEEL AND KNOB	S
NTERNAL LED LIGHTENING	S
EXTERIORS	
XTERNAL LED LIGHT	S

Livingstone Advance DUO XL







FIAT	<u>4</u> 4 = 2+1 4
MECHANICS AND CHASSIS	
MECHANICAL UNIT	Fiat Ducato
ENGINE, POWER HP	2,2 MJ 140 PS
MAXIMUM TECHNICALLY PERMISSIBLE WEIGHT (KG)	3500
WEIGHT UNLADEN IN RUNNING CONDITIONS (KG)	2905 / 3165
PAY LOAD MIN/MAX (KG)	595 / 335
WHEELBASE (MM)	
	4035
MAXIMUM TOWABLE WEIGHT (KG)	2500
WHEELS DIMENSIONS	16"
MANUAL AIR CONDITIONING	S
DRIVER AND PASSENGER AIRBAG	S
CRUISE CONTROL WITH SPEED LIMITER	S
ABS / ESC / TRACTION +	\$/\$/\$
DRIVER AND PASSENGER SWIVELLING SEATS	S
CAB SEAT COVERS	S
PAINTED CAB	WHITE
PLEATED CAB CURTAIN	S
DAB USB BLUETOOTH RADIO 9" WITH ANDROID AUTO / APPLE CARPLAY	
	S
REAR VIEW CAMERA	\$
DIMENSIONS AND PLACES	
BERTHS	2
REAR BED (CM)	185(175)x160 [lift Position] 185(175)x190 [low Position]
SUPPLEMENTARY BED IN DINETTE	S
DIMENSIONS SUPPLEMENTARY BED IN DINETTE (CM)	156x95(50)
BEDS WITH STAVES	S
SKYLIGHT	
PANORAMIC SKYLIGHT 700X500 MM WITH BLIND AND MOSQUITO NET	S
400X400 MM SKYLIGHT	\$
FIXED, PANORAMA ROOF IN THE CAB	0
OPENABLE REAR WINDOWS	
	\$
DOUBLE-GLAZED WINDOWS WITH BLIND / MOSQUITO NET	S
INSTALLATIONS	
BURNERS	2
TANK CAPACITY : CLEAR WATER / WASTEWATER (L)	85 (20) / 90
COMPRESSOR FRIDGE (L)	84
STANDARD HEATING SYSTEM	TRUMA COMBI 4 GAS
SPACE FOR 2 GAS BOTTLES (TOT. MAX 7 KG)	S
BATHROOM WINDOW (DOUBLE OPAQUE GLASS)	S
NTERNAL INSULATION MATERIAL	POLYESTER FIBER AND ALUMINIUM FILM
FLOOR THICKNESS MIN / MAX (MM)	10+26
EQUIPMENTS	
LIFTING ROOF WITH INTEGRATED DOUBLE BED	0
STOWAGE ABOVE THE CABIN / OPEN SPACE CABIN	S
CAB CARPET	\$
TABLE EXTENSIONS IN DINETTE	\$
FOLDING TABLE	S
ENTRANCE DOOR FLYSCREEN	\$
ELECTRIC STEP	S
SOLAR PANEL	O (PACK PRESTIGE)
AWNING	O (PACK PRESTIGE)
BLACK SKID PLATE, BLACK HEADLIGHT SURROUND	S
TECHNO TRIM	\$
LEATHER STEERING WHEEL AND KNOB	S
INTERNAL LED LIGHTENING	S
EXTERIORS	
EXTERIORS	

Livingstone - Sport - Advance | Pack

LIVINGSTONE	
TRAVEL 9" PACK	9" CAPACITIVE TOUCH SCREEN RADIO WITH STEERING WHEEL CONTROLS - REARVIEW CAMERA
PAINTED BUMPER PACK	PAINTED BUMPER - BLACK SKID PLATE - FOG LIGHTS
TWO-COLOR ALLOY WHEELS PACK	BICOLOR 16" ALLOY WHEEL RIMS - TECHNO TRIM - LEATHER COVERED STEERING WHEEL AND GEAR LEVER KNOB
CO-DRIVER PACK	STOP&GO - LANE CENTRING - TRAFFIC JAM ASSIST
LOUNGE PACK	AUTOMATIC CLIMATE CONTROL - SMARTPHONE WIRELESS CHARGER - FULL DIGITAL CLUSTER
VISION 2 PACK	ELECTRIC FOLDING WING MORRORS - PARKING SENSORS - BLIND SPOT ASSIST + REAR CROSS PATH DETECTION
SAFETY PACK	EMERGENCY BRAKE ASSIST (+PEDESTRIAN/CYCLIST DETECTION) - RAIN & LIGHT SENSORS - LANE CONTROL - TRAFFIC SIGN RECOGNITION - DRIVER DROWSINESS DETECTION - INTELLIGENT SPEED ASSIST
COMFORT PACK	SEAT COVERS - MIDI HEKI - ELECTRIC STEP - ENTRANCE DOOR FLYSCREEN - PLEATED CAB BLIND
PRESTIGE PACK	SOLAR PANEL - AWNING

LIVINGSTONE SPORT

TRAVEL 9" PACK	9" CAPACITIVE TOUCH SCREEN RADIO WITH STEERING WHEEL CONTROLS - REARVIEW CAMERA
PAINTED BUMPER PACK	PAINTED BUMPER - BLACK SKID PLATE - FOG LIGHTS
TWO-COLOR ALLOY WHEELS PACK	BICOLOR 16" ALLOY WHEEL RIMS - TECHNO TRIM - LEATHER COVERED STEERING WHEEL AND GEAR LEVER KNOB
CO-DRIVER PACK	STOP&GO - LANE CENTRING - TRAFFIC JAM ASSIST
LOUNGE PACK	AUTOMATIC CLIMATE CONTROL - SMARTPHONE WIRELESS CHARGER - FULL DIGITAL CLUSTER
VISION 2 PACK	ELECTRIC FOLDING WING MORRORS - PARKING SENSORS - BLIND SPOT ASSIST + REAR CROSS PATH DETECTION
SAFETY PACK	EMERGENCY BRAKE ASSIST (+PEDESTRIAN/CYCLIST DETECTION) - RAIN & LIGHT SENSORS - LANE CONTROL - TRAFFIC SIGN RECOGNITION - DRIVER DROWSINESS DETECTION - INTELLIGENT SPEED ASSIST
PRESTIGE PACK	SOLAR PANEL - AWNING

LIVINGSTONE ADVANCE

CO-DRIVER PACK	STOP&GO - LANE CENTRING - TRAFFIC JAM ASSIST
LOUNGE PACK	AUTOMATIC CLIMATE CONTROL - SMARTPHONE WIRELESS CHARGER - FULL DIGITAL CLUSTER
VISION 2 PACK	ELECTRIC FOLDING WING MORRORS - PARKING SENSORS - BLIND SPOT ASSIST + REAR CROSS PATH DETECTION
SAFETY PACK	EMERGENCY BRAKE ASSIST (+PEDESTRIAN/CYCLIST DETECTION) - RAIN & LIGHT SENSORS - LANE CONTROL - TRAFFIC SIGN RECOGNITION - DRIVER DROWSINESS DETECTION - INTELLIGENT SPEED ASSIST
PRESTIGE PACK	SOLAR PANEL - AWNING

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.





The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

MASS IN RUNNING ORDER

It includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-I tank), fresh water (tank filled with 20 I while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

CARICO UTILE

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage. All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue. Additional accessories and devices reduce the payloadby a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers. In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please note that the law does not allow the maximum permissible mass to be exceeded, which can be consulted under the specific heading of the data sheets. Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country. When driving, the fresh water tank must be filled to a maximum of 20 litres.



